
Module 6


Execution Parallelism



- Control Flow Scale Out
- Concurrency Limitations
- Internal vs External Activities
- Orchestration Framework http://procfwk.com

Module 6


Execution Parallelism




- Control Flow Scale Out
- Concurrency Limitations
- Internal vs External Activities
- Orchestration Framework http://procfwk.com





For Each Activity



Scaling Out Control Flow Activities








Batch Count Default: 20


Batch Count Max: 50





For Each Activity



Scaling Out Control Flow Activities








Batch Count Default: 20


Batch Count Max: 50



Integration Pipelines as Data Engineers




SSIS IR




Triggers




Nested ForEach Activities & Bucket Metadata










A General Pattern for Scaling Out












Module 6

Execution Parallelism



- Control Flow Scale Out
- Concurrency Limitations
- Internal vs External Activities
- Orchestration Framework http://procfwk.com



Data Factory Limitations












800 Data Factory Instances per Subscription






40 Activities per Data Factory Pipeline







3 Active Data Flow Debug Sessions per Data Factory



5,000 Rows or 4MB of Data Returned per Lookup (No Error if More)



Minimum Tumbling Window Trigger – 15mins



4min Client Response Timeout Using Azure Functions Activity







5,000 Entities (Components) per Data Factory Instance




Integration Pipelines as Data Engineers




SSIS IR



Triggers



Azure Integration Runtime











Compute Concurrency







Orchestrator



Fixed Region




Runtime

Flexible Location



AutoResolveIntegrationRuntime






Compute Concurrency

Internal vs External Activities

https://mrpaulandrew.com/2020/12/22/pip elines-understanding-internal-vs-externalactivities/







Orchestrator



Fixed Region




Runtime

Flexible Region




AutoResolve IntegrationRuntime






Concurrency – Pipelines vs Activities



Per Subscription, per IR Region



10,000

Internal

1,000


External

3,000

https://mrpaulandrew.com/2020/01/29/azure-data-factory-resource-limitations/




Concurrency – Pipelines vs Activities

























































Module 6

Execution Parallelism




- Control Flow Scale Out
- Concurrency Limitations
- Internal vs External Activities
- Orchestration Framework http://procfwk.com







How should we structure and trigger our Integration Pipelines?









How should we structure and trigger our Integration Pipelines?




































Grandparent pipeline for Problem all processing. Parent pipeline to consolidate work. Child pipelines for low Copy Data level dependencies. Copy Data Do Stuff Notebook 2b Copy Data Transformed Landing Cleaned Served CSV **DELTA LAKE** XML JSON CSV ZIP








Use Metadata to Drive Data Factory Pipelines



Solution








Stages	Pipelines
1	а
2	b
3	С
	d
	е
	f
	g
	h
	i

Stage	Pipeline
1	а
1	b
1	С
2	d
2	е
3	f
3	g
3	h
3	i




Calling Our Worker Pipelines




One More Problem to Consider






Calling Our Worker Pipelines





















Stages

1

2








Pipelines
а
b
С
d
е
f
g
h
i

Stage	Pipeline
1	а
1	b
1	С
2	d
2	е
3	f
3	g
3	h
3	i

Option 1:



Option 2:




Option 3:



Solution: Use Metadata to Drive Data Factory Pipelines &

\$ &


Functions to Handle the Worker Execution





Introducing ProcFwk.com (7)














procfwk







Framework Database











	ExecutionLog (procfwk)	
8	Logld	
	LocalExecutionId	
	Stageld	
	Pipelineld	
	Calling Data Factory Name	
	ResourceGroupName	
	DataFactoryName	
	PipelineName	
	StartDateTime	
	PipelineStatus	
	EndDateTime	
	AdfPipelineRunId	
	PipelineParamsUsed	






Framework Database



Configuration & Behaviour




Core Metadata

Execution Handling

Location & Authentication

Email Alerting

Runtime & Logging



ExecutionLog (procfwk) § LogId LocalExecutionId Stageld Pipelineld CallingDataFactoryName ResourceGroupName DataFactoryName **PipelineName** StartDateTime **PipelineStatus** EndDateTime AdfPipelineRunId PipelineParamsUsed ErrorLog (procfwk) § LogId LocalExecutionId AdfPipelineRunId

ActivityRunId

ActivityName

ActivityType


ErrorCode

ErrorType


ErrorMessage



Framework Pipeline Hierarchy









- Grandparent


Role: Optional level platform setup, for example, scale up/out compute services ready for the framework to run.



- Parent


Role: Execution run wrapper for batches and execution stage iterator.






- Child

Role: Scale out triggering of worker pipelines within the execution stage(s).



- Infant


Role: Worker validator, executor, monitor and reporting of the outcome for the single worker pipeline.




- Worker

Role: Anything specific to the process needing to be performed.






How should we structure and trigger our Integration Pipelines?






Solution




Use Metadata to Drive Integration Pipeline execution






Solution





Use Metadata to Drive Integration Pipeline execution







ProcFwk.com Activity Chain











github.com/mrpaulandrew/procfwk/blob/master/Images



Hub & Spoke Integration Architecture





Module 6

Execution Parallelism

```
SELECT
    [Contents]
FROM
    [Training]
WHERE
    [Module] = '6';
   --module, fetch next
```

- Control Flow Scale Out
- Concurrency Limitations
- Internal vs External Activities
- Orchestration Framework http://procfwk.com